

The African Organisation for Standardisation

EDICT OF GOVERNMENT

In order to promote public education and public safety, equal justice for all, a better informed citizenry, the rule of law, world trade and world peace, this legal document is hereby made available on a noncommercial basis, as it is the right of all humans to know and speak the laws that govern them.

ARS 842 (2012) (English): Cassava wheat
composite flour -- Specification



BLANK PAGE



Cassava wheat composite flour — Specification



Table of contents

| | | |
|-----|---|---|
| 1 | Scope | 1 |
| 2 | Normative references..... | 1 |
| 3 | Description and definitions | 2 |
| 4 | Requirements..... | 3 |
| 4.1 | General requirements | 3 |
| 4.2 | Ingredients | 3 |
| 4.3 | Particle size | 3 |
| 4.4 | Compositional requirements | 3 |
| 4.5 | Hydrocyanic acid content | 3 |
| 4.6 | Fortification..... | 3 |
| 5 | Food additives | 3 |
| 6 | Contaminants | 3 |
| 6.1 | Pesticide residues | 3 |
| 6.2 | Other contaminants | 4 |
| 7 | Hygiene | 4 |
| 8 | Packaging | 4 |
| 9 | Labelling | 4 |
| 10 | Sampling | 5 |
| 11 | Criteria for conformity | 5 |
| | Annex A (normative) Determination of acid insoluble ash | 6 |
| | Bibliography | 7 |

Foreword

The African Organization for Standardization (ARS) is an African intergovernmental organization made up of the United Nations Economic Commission for Africa (UNECA) and the Organization of African Unity (AU). One of the fundamental mandates of ARSO is to develop and harmonize African Standards (ARS) for the purpose of enhancing Africa's internal trading capacity, increase Africa's product and service competitiveness globally and uplift the welfare of African communities. The work of preparing African Standards is normally carried out through ARSO technical committees. Each Member State interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, regional economic communities (RECs), governmental and non-governmental organizations, in liaison with ARSO, also take part in the work.

ARSO Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare ARSO Standards. Draft ARSO Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an ARSO Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ARSO shall not be held responsible for identifying any or all such patent rights.

This African Standard was prepared by the ARSO Technical Harmonization Committee on Agriculture and Food Products (ARSO/THC 1).

© African Organisation for Standardisation 2012 — All rights reserved*

ARSO Central Secretariat
International House 3rd Floor
P. O. Box 57363 — 00200 City Square
NAIROBI, KENYA

Tel. +254-20-224561, +254-20-311641, +254-20-311608
Fax: +254-20-218792
E-mail: arso@arso-oran.org
Web: www.arso-oran.org

* © 2012 ARSO — All rights of exploitation reserved worldwide for African Member States' NSBs.

Copyright notice

This ARSO document is copyright-protected by ARSO. While the reproduction of this document by participants in the ARSO standards development process is permitted without prior permission from ARSO, neither this document nor any extract from it may be reproduced, stored or transmitted in any form for any other purpose without prior written permission from ARSO.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to ARSO's member body in the country of the requester:

© African Organisation for Standardisation 2012 — All rights reserved

ARSO Central Secretariat
International House 3rd Floor
P.O. Box 57363 — 00200 City Square
NAIROBI, KENYA

Tel: +254-20-224561, +254-20-311641, +254-20-311608
Fax: +254-20-218792

E-mail: arso@arso-oran.org
Web: www.arso-oran.org

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement. Violators may be prosecuted.

Introduction

Cassava is cultivated in many parts of Africa. The farmers have a number of varieties both indigenous and improved. Cassava roots have a short shelf-life and are either consumed immediately after harvest or have to be processed into shelf stable products.

Cassava roots are processed at household and cottage levels in the rural areas. Processing at these levels involves mainly the production of cassava chips and flour from fermented or unfermented roots.

The processing of cassava roots into flour is done by traditional methods. The process for production of flour involves peeling, cutting into pieces, sun drying, milling, sieving and packaging for unfermented flour. For fermented cassava flour, the cassava pieces are fermented before sun drying.

Currently, cassava flour is mainly used in the making flour and local gin despite its many application. For example, the use of cassava flour for baking bread or biscuits is limited, but the potential for cassava flour to be used in the baking industry exists. Use of cassava in the baking as composite cassava -wheat flour, will save foreign earnings from the importation of wheat.

Development of this standard should encourage the processing and use of cassava flour in baking products such as bread, biscuits, buns, doughnuts, and pancakes. This standard therefore aims at providing guidance for the production of high quality grade composite cassava flour for baking.

Cassava wheat composite flour — Specification

1 Scope

This African Standard specifies the requirements and the methods of sampling and test for cassava-wheat composite. This standard does not apply to other composite flours from non-wheat sources which may be used in different products.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ARS 53, *General principles of food hygiene — Code of practice*

ARS 56, *Prepackaged foods — Labelling*

ARS 470, *Wheat flour — Specification*

WD-ARS 838:2012, *Cassava flour — Specification*

WD-ARS 839:2012, *Dried cassava chips — Specification*

WD-ARS 844:2012, *Cassava and cassava products — Determination of total cyanogens — Enzymatic assay method*

CODEX Stan 192, *General standard for food additives*

CODEX STAN 193, *Codex general standard for contaminants and toxins in food and feed*

ISO 712, *Cereals and cereal products — Determination of moisture content — Reference method*

ISO 1871, *Food and feed products — General guidelines for the determination of nitrogen by the Kjeldahl method*

ISO 2171, *Cereals, pulses and by-products — Determination of ash yield by incineration*

ISO 3094, *Fruit and vegetable products — Determination of copper*

ISO 4832, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coliforms — Colony-count technique*

ISO 4833, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of microorganisms — Colony-count technique at 30 degrees C*

ISO 5498, *Agricultural food products — Determination of crude fibre content — General method*

ISO 5986, *Animal feeding stuffs — Determination of diethyl ether extract*

ISO 6579, *Microbiology of food and animal feeding stuffs — Horizontal method for the detection of Salmonella spp.*

ISO 6633, *Fruit and vegetable products — Determination of lead content — Flameless atomic absorption spectrometric method*

CD-ARS 842:2012(E)

ISO 6634, *Fruit and vegetable products — Determination of arsenic content — Silver diethyldithiocarbamate spectrophotometric method*

ISO 6637, *Fruit and vegetable products — Determination of mercury content — Flameless atomic absorption method*

ISO 6888-1, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coagulase-positive staphylococci (Staphylococcus aureus and other species) — Part 1: Technique using Baird-Parker agar medium*

ISO 6888-2, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coagulase-positive staphylococci (Staphylococcus aureus and other species) — Part 2: Technique using rabbit plasma fibrinogen agar medium*

ISO 6888-3, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coagulase-positive staphylococci (Staphylococcus aureus and other species) — Part 3: Detection and MPN technique for low numbers*

ISO 7251, *Microbiology of food and animal feeding stuffs — Horizontal method for the detection and enumeration of presumptive Escherichia coli — Most probable number technique*

ISO 7305, *Milled cereal products — Determination of fat acidity*

ISO 13690, *Cereals, pulses and milled cereal products — Sampling of static batches*

ISO 16050, *Foodstuffs — Determination of aflatoxin B₁, and the total content of aflatoxin B₁, B₂, G₁ and G₂ in cereals, nuts and derived products — High performance liquid chromatographic method*

ISO 21527-1, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of yeasts and moulds — Part 1: Colony count technique in products with water activity greater than 0.95*

3 Description and definitions

For the purpose of this standard, the following terms and definitions apply.

3.1

cassava-wheat composite flour

combination of cassava flour and wheat flour

3.2.

filth

impurities of animal origin (including dead insects)

3.3

food grade material

one that will not transfer non-food chemicals into the food and contains no chemicals which would be hazardous to human health

3.4

foreign matter

all organic and inorganic materials (such as sand, soil, glass)

3.5

flour

finely ground content of dried wheat grains or peeled roots

4 Requirements

4.1 General requirements

The general requirements for cassava wheat composite flour shall be as follows;

- a) homogenous in size and colour;
- b) practically free of filth and foreign matter;
- c) not be rancid or have any off odours or flavours

4.2 Ingredients

The cassava flour used in the manufacture of composite flour shall conform to WD-ARS 838:2012. The wheat flour shall conform to ARS 470.

4.3 Particle size

Testing for particle size shall be done in accordance with ISO 3588. Not less than 90 % shall pass through a 0.25 mm sieve for fine flour.

4.4 Compositional requirements

Composite cassava wheat flour shall conform to the compositional requirements in Table 1.

Table 1 — Compositional requirements for cassava wheat composite flour

| Characteristic | Requirement | Method of test |
|--|-------------|----------------|
| Protein content, percent by mass, min. (N x 6.25) | 8.0 | ISO 1871 |
| Crude fat content, % by mass on a dry weight basis, min. | 2.0 | ISO 5986 |
| Crude fibre content, % by mass on dry matter basis, max. | 1.25 | ISO 5498 |
| Acid value | 50 | ISO 7305 |
| Acid insoluble ash, % by mass, max. | 0.35 | Annex A |
| Moisture content, %, by mass, max. | 13.5 | ISO 712 |

4.5 Hydrocyanic acid content

When tested in accordance with WD-ARS 844:2012, the total hydrogen cyanide content of the cassava wheat composite flour shall not exceed 10 mg/kg.

4.6 Fortification

Cassava wheat composite flour may be fortified with nutrients in accordance with national legislation.

5 Food additives

Food additives may be used in the preparation of composite flour in accordance with CODEX Stan 192.

6 Contaminants

6.1 Pesticide residues

Cassava wheat composite flour shall conform to maximum residue limits for pesticide residues established by the Codex Alimentarius Commission for this commodity.

6.2 Other contaminants

6.2.1 Cassava wheat composite flour shall comply with the maximum levels of the Codex General Standard for Contaminants and Toxins in Food and Feed (CODEX STAN 193).

6.2.2 The product shall be free from objectionable extraneous matter.

6.2.3 Cassava wheat composite flour shall contain not more than 10 microgram per kilogram aflatoxin of which not more than 5 micrograms per kilogram may be aflatoxin B₁ when tested in accordance with ISO 16050.

6.2.4 The product shall be free from parasites which represent a hazard to health (see Table 2).

7 Hygiene

7.1 The product covered by the provisions of this standard shall be prepared and handled in accordance with ARS 53 and the relevant public health regulations and shall conform to microbiological limits specified in Table 2.

Table 2 — Microbiological limits for cassava wheat composite flour

| S/N | Micro-organism(s) | Requirements | Method of test |
|-----|--|-----------------|----------------|
| 1 | <i>Escherichia coli</i> , cfu/g, max. | absent | ISO 7251 |
| 2 | <i>Salmonella</i> , 25g, max. | absent | ISO 6579 |
| 3 | Yeasts and moulds, cfu/g, max. | 10 ⁴ | ISO 21527-1 |
| 4 | <i>Staphylococcus aureus</i> cfu/g max | 10 ² | ISO 6888 |
| 5 | <i>Coliforms</i> g (per 100 g) | absent | ISO 4832 |

7.2 During handling, storage and transportation, effective measures must be taken to prevent cross contamination with chemicals, microbial or physical contaminants.

8 Packaging

8.1 Cassava wheat composite flour shall be packaged in food grade material which will safeguard the hygienic, physical, nutritional and organoleptic qualities of the product.

8.2 The net weight of the packages for cassava wheat composite flour may be required to meet the relevant regulations of the destination country.

9 Labelling

9.1 In addition to the requirements of ARS 56, the following specific labelling requirements shall apply and shall be **legibly** and **indelibly** marked:

- Common name of the product "Cassava wheat composite flour";
- Name, and physical address of the manufacturer/ distributor and /or trade name/ brand name;
- List of ingredients in descending order;
- Date of manufacture;
- Storage instructions;
- Lot / batch identification in code or clear;

- g) Expiry date;
- h) Country of origin;
- i) The net weight in metric units; and
- j) Instructions on disposal of used package.

9.2 When labelling non-retail packages, information for non-retail packages shall either be given on the packages or in accompanying documents, except that the name of the product, lot identification and the name and address of the manufacturer or packer shall appear on the packages.

10 Sampling

Sampling shall be done in accordance with ISO 13690 and testing in accordance with the methods indicated against each requirement or other equivalent methods and by visual examination.

11 Criteria for conformity

A lot shall be declared as conforming to this standard if samples inspected or analysed for quality requirements conform to the provisions of this standard.

Annex A
(normative)

Determination of acid insoluble ash

A.1 Reagent

A.1.1 Dilute Hydrochloric Acid — 1:1, prepared from concentrated hydrochloric acid.

A.2 Procedure

A.2.1 Weigh accurately about 2 g of the dried material in a tared porcelain, silica or platinum dish. Ignite with a meker burner for about 1 hour. Complete the Ignition by keeping in a muffle furnace at 500 °C to 570 °C until grey ash results.

Cool and filter through whatman filter paper No. 42 or its equivalent. Wash the residue with hot water until the washings are free from chlorides as tested with silver nitrate solution and return the filter paper and residue to the dish. Keep it in an electric air oven maintained at 135 ± 2 °C for about 3 hrs. Ignite the dish again for about 30 minutes, cool and weigh. Repeat this process till the difference between two successive weighings is less than 1 mg. Note the lowest weight.

A.3 Calculation

A.3.1 Acid insoluble ash, per cent by weight

$$= \frac{100(M_2 - M)}{M_1 - M}$$

where,

M_2 = the lowest weight, in g, of the dish with the acid insoluble ash;

M = weight, in g, of the empty dish; and

M_1 = weight, in g, of the dish with the dried product taken for the test.

Bibliography

EAS 741:2010, *Cassava composite wheat flour — Specification*

Draft African Standard for comments only — Not to be cited as African Standard

Draft African Standard for comments only — Not to be cited as African Standard